



Як встановити плагін Citation?

Щоб встановити плагін **Mendeley Cite** для Microsoft Word, перейдіть за посиланням:

https://appsource.microsoft.com/enus/product/office/WA104382081

У відкритому вікні натисніть **Get it now** та авторизуйтеся за допомогою свого акаунту Microsoft.

Після успішної авторизації відкриється нова сторінка.


- Якщо у вас є ліцензійна версія Word на iPad, Word 2016 або пізніша версія, то натисніть **Open in Word.**
- Якщо відповідна версія Word відсутня, можете скористатись Office Online, для цього необхідно натиснути **try using Office Online** і на новій сторінці натиснути **Open in Word Online**.

Apps > Mendeley Cite > Launch



Mendeley Cite

Get started with the add-in:



This add-in works in: Word on iPad, Word 2016 or later on Windows, Word 2016 or later on Mac, Word on the web.

If you don't have the above try using Office Online.



Can't find the add-in within Office

Enable editing, trust the add-in and look for the add-in in the insert tab under 'My Add-ins'. Click here for step by step instructions



Need more help

For more on install Office add-ins, view our help documentation.

1






Використання плагіна

Відкрийте меню **Вставлення** та виберіть **Мої надбудови.** Далі обираємо **Mendeley Citation**, після чого з'явиться бічна панель.



Вкладка **Reference** містить перелік джерел для цитування. **Citation Settings** слугує для вибору стилю цитування.








Для того щоб додати посилання у текст необхідно:

- 1. Поставити курсор у тій частині тексту, де потрібно вставити посилання.
- 2. Вибрати джерело.
- 3. Натиснути **Insent 1 citation.**

The accurate identification of dinosaur egg accumulations as nests or clutches is crucial for understanding the reproductive behaviour of these extinct species. However, existing methods often rely on the presence of complete eggs and embryo remains, and sedimentological criteria that are only applicable to wellstructured sediments. In this study, we introduce an innovative approach to characterize egg accumulations in structureless sediments, where traditional nest structures may not be preserved. Our methodology employs a unique combination of sedimentological, taphonomic, geochemical, and geophysical proxies for the study of egg accumulations. We applied this approach to the egg accumulation from Paimogo (Jurassic, Portugal), traditionally interpreted as a nest. Our findings reveal that the Paimogo egg assemblage is a secondary deposit, resulting from a flooding event in a fluvial plain that dismantled several allosauroid and crocodylomorph clutches. The eggshell vapor conductance results, coupled with sedimentological evidence, suggest that allosauroid dinosaurs buried their eggs in the dry terrain of overbank areas close to a main channel during the breeding season, likely during the dry season to prevent the embryos from drowning. This research underscores the necessity of multidisciplinary approaches in interpreting egg accumulations and offers a novel methodology for studying these accumulations in structureless sediments. Our findings provide new insights into the breeding behaviour and nesting preferences of these extinct organisms, contributing to our understanding of dinosaur ecology.



Після того як ви вставили всі цитати у ваш документ, для створення бібліографії (списку джерел):

- 1. Перейдіть у кінець документа, де ви хочете, щоб з'явилася бібліографія.
- 2. Натисніть Insert Bibliography на панелі Mendeley Cite.
- 3. Mendeley автоматично створить список усіх джерел, які ви процитували в документі.





The accurate identification of dinosaur egg accumulations as nests or clutches is crucial for understanding the reproductive behaviour of these extinct species. However, existing methods often rely on the presence of complete eggs and embryo remains, and sedimentological criteria that are only applicable to wellstructured sediments. In this study, we introduce an innovative approach to characterize egg accumulations in structureless sediments, where traditional nest structures may not be preserved. Our methodology employs a unique combination of sedimentological, taphonomic, geochemical, and geophysical proxies for the study of egg accumulations. We applied this approach to the egg accumulation from Paimogo (Jurassic, Portugal), traditionally interpreted as a nest. Our findings reveal that the Paimogo egg assemblage is a secondary deposit, resulting from a flooding event in a fluvial plain that dismantled several allosauroid and crocodylomorph clutches. The eggshell vapor conductance results, coupled with sedimentological evidence, suggest that allosauroid dinosaurs buried their eggs in the dry terrain of overbank areas close to a main channel during the breeding season, likely during the dry season to prevent the embryos from drowning. This research underscores the necessity of multidisciplinary approaches in interpreting egg accumulations and offers a novel methodology for studying these accumulations in structureless sediments. Our findings provide new insights into the breeding behaviour and nesting preferences of these extinct organisms, contributing to our understanding of dinosaur ecology(Ezquerro et al. 2024).

